



Inspection Report

KALE ROTTINGHAUS
SANDRA ROTTINGHAUS

Customer ID: **6745**
Certificate: **48-B-0194**

Site: 001
KALE & SANDRA ROTTINGHAUS

N V K
1122 128TH RD.

Type: ROUTINE INSPECTION
Date: Oct-05-2010

SENECA, KS 66538

* Effective 10/5/10 USDA license # 48-B-0194 wishes to cancel out there license # because they have transferred all breeding stock to another family member. Licensee understands if they have 4 or more breed able females & sells 1 puppy in to commerce, then thye must be re licensed by the USDA.

* An exit interview was conducted with the licensee.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Oct-05-2010

Received By:

(b)(6),(b)(7)(c)

Date:
Oct-05-2010

Title:



Inspection Report

KALE ROTTINGHAUS
SANDRA ROTTINGHAUS

Customer ID: 6745
Certificate: 48-B-0194

N V K
1122 128TH RD.

Site: 001
KALE & SANDRA ROTTINGHAUS

SENECA, KS 66538

Type: ROUTINE INSPECTION
Date: Sep-22-2009

3.1 (a) HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general. (a) Structure; construction. Housing facilities for dogs and cats must be designed and constructed so that they are structurally sound. They must be kept in good repair, and they must protect the animals from injury, contain the animals securely, and restrict other animals from entering.

Facilities must be kept in good repair and must protect the animals from injury. Pen 2 from the north on the east side of the dairy building and pen 10 to the right of the door for room 3, all housing 6 animals, flooring is not fasten down and is coming off the framing. Also, pen 2 has a hole in the floor with is approximate 1 long * 2 wide. The flooring in the two pens is in need of repair, so to protect the animals from injury.

To be corrected by, 01-Oct-2009.

3.4 (b) (4) OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities. (b) Shelter from the elements. (3) Be provided with a wind break and rain break at the entrance;

Outdoor dog houses not the north side should have protection from the wind and rain at the entrance. Examples of protect from the elements is flap, wind/rain tunnel and or solid surface to block the wind and rain. The outdoor dog houses, all housing 12 animals, do not have protection from the wind and rain at the entrance. Protection from the elements at the entrance of the dog houses is needed do to the fall and winters months are coming on.

To be corrected by 07-Oct-2009.

Prepared By:

RANDALL R WAGNER, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4038

Date:
Sep-22-2009

Received By:

(b)(6),(b)(7)(c)

Date:
Sep-22-2009

Title:



Inspection Report

KALE ROTTINGHAUS
SANDRA ROTTINGHAUS

Customer ID: **6745**

Certificate: **48-B-0194**

N V K
1122 128TH RD.

Site: 001
KALE & SANDRA ROTTINGHAUS

SENECA, KS 66538

Type: ROUTINE INSPECTION

Date: Jun-01-2009

No non-compliant item(s) identified this inspection.

Prepared By:

RANDALL R WAGNER, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4038

Date:
Jun-01-2009

Received By:

(b)(6),(b)(7)(c)

Date:
Jun-01-2009

Title:



Inspection Report

KALE ROTTINGHAUS
SANDRA ROTTINGHAUS

Customer ID: 6745
Certificate: 48-B-0194

N V K
1122 128TH RD.

Site: 001
KALE & SANDRA ROTTINGHAUS

SENECA, KS 66538

Type: ROUTINE INSPECTION
Date: Apr-20-2009

3.1 (a) REPEAT DIRECT NCI HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general. (a) Structure; construction. Housing facilities for dogs and cats must be designed and constructed so that they are structurally sound. They must be kept in good repair, and they must protect the animals from injury, contain the animals securely, and restrict other animals from entering. Housing facilities for dogs must be kept in good repair and must protect the animals from injury. The following item(s) are not in good repair and could injure the animals.

* The outdoor runs on gravel, housing, 9 animals, tin shade is coming apart and is broken in areas. The wood framing is broken, leaning into the pen or the integrity of structure strength is jeopardized, which could fall injuring the animals. The wind blowing weakens the tin jeopardizing the tin fasten to the wood framing, which in time the tin could come off down onto the animals in the pen below. The tin shade and wood framing are in need of repair as soon as possible, so the animals do not get injured.

* Pen 27, housing 2 animals, in the white house building has a metal door that is coming off and is not kept in good repair. The metal door needs to be fasten properly, so the animals do not get injured.

* Pen 1 on the east side of the white house building flooring is coming off the framing on the right side of the pen. The flooring coming off is creating a approximate 3 foot by 3 inch wide gap. The structure strength of the flooring is jeopardized and could come off the framing injury or allowing the 2 dogs to get out. The flooring needs repair or fasten to the frame securely.

3.1 (c) (1) (ii) REPEAT HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general. (c) Surfaces--(1) General requirements. (ii) Be free of jagged edges or sharp points that might injure the animals.

* Animal enclosures must be free of jagged edges or sharp points. Pen 2 from the east for the raised outdoor kennel has tin coming off the door framing in the back of the dog house causing jagged edges. Also, Pen AA in room 3's left side corner has vinyl wire patch exposing sharp points and is sagging inward. The above mentioned item(s), housing

Prepared By:

RANDALL R WAGNER, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4038

Date:
Jun-01-2009

Received By:

Title:

(b)(6),(b)(7)(c)

Date:
Jun-01-2009



Inspection Report

3 animals, are in need of repair, so the animals do not get injured and kept the sharp points and jagged edges removed.

3.4 (c) REPEAT

OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities. (c) Construction. Building surfaces in contact with animals in outdoor housing facilities must be impervious to moisture. Metal barrels, cars, refrigerators or freezers, and the like must not be used as shelter structures. The floors of outdoor housing facilities may be of compacted earth, absorbent bedding, sand, gravel, or grass, and must be replaced if there are any prevalent odors, diseases, insects, pests, or vermin.

* Metal barrels and the like must not be used as an outdoor dog house. Also, the surfaces of outdoor dog houses must made, so they can be readily cleaned and sanitized. The 9 dogs in the 5 large metal outdoor dog house on the ground are in need of a dog house that is not made of metal and or needs to be insulated, so to protect from the extreme temperatures. The outdoor dog houses have metal sides. Also, the gaps between the floor and the wall must be sealed, so the dog house can properly cleaned and sanitized.

3.6 (a) (1)

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures. Primary enclosures for dogs and cats must meet the following minimum requirements: (a) General requirements. (1) Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair.

* Primary enclosures must be designed and constructed of suitable materials and kept in good repair, so the surface can be properly cleaned and sanitized. Pen AA in room 3, housing 3 animals, has fiber board coming off the bottom back wall exposing bare wood. The surface cannot be properly cleaned and sanitized. The surface in of repair, so the surface can be kept in good repair.

To be corrected by, 25-May-2009.

This is a corrected inspection from inspection dated 20-Apr-2009, to correct the site from TRA to Site 001

Prepared By:

RANDALL R WAGNER, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4038

Date:
Jun-01-2009

Received By:

(b)(6), (b)(7)(c)

Date:
Jun-01-2009

Title:



Inspection Report

KALE ROTTINGHAUS
SANDRA ROTTINGHAUS

Customer ID: 6745

Certificate: 48-B-0194

N V K
1122 128TH RD.

Site: TRA

KALE & SANDRA ROTTINGHAUS (CANCELLED)

Type: ROUTINE INSPECTION

Date: Apr-20-2009

SENECA, KS 66538

3.1 (a) REPEAT DIRECT NCI

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general. (a) Structure; construction. Housing facilities for dogs and cats must be designed and constructed so that they are structurally sound. They must be kept in good repair, and they must protect the animals from injury, contain the animals securely, and restrict other animals from entering.

Housing facilities for dogs must be kept in good repair and must protect the animals from injury. The following item(s) are not in good repair and could injure the animals.

*_The outdoor runs on gravel, housing, 9 animals, tin shade is coming apart and is broken in areas. The wood framing is broken, leaning into the pen or the integrity of structure strength is jeopardized, which could fall injuring the animals. The wind blowing weakens the tin jeopardizing the tin fasten to the wood framing, which in time the tin could come off down onto the animals in the pen below. The tin shade and wood framing are in need of repair as soon as possible, so the animals do not get injured.

*_Pen 27, housing 2 animals, in the white house building has a metal door that is coming off and is not kept in good repair. The metal door needs to be fasten properly, so the animals do not get injured.

*_Pen 1 on the east side of the white house building flooring is coming off the framing on the right side of the pen. The flooring coming off is creating a approximate 3 foot by 3 inch wide gap. The structure strength of the flooring is jeopardized and could come off the framing injury or allowing the 2 dogs to get out. The flooring needs repair or fasten to the frame securely.

3.1 (c) (1) (ii) REPEAT

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general. (c) Surfaces--(1) General requirements. (ii) Be free of jagged edges or sharp points that might injure the animals.

Prepared By:

RANDALL R WAGNER, A.C.I. USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 4038

Apr-20-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Apr-20-2009



Inspection Report

*Animal enclosures must be free of jagged edges or sharp points. Pen 2 from the east for the raised outdoor kennel has tin coming off the door framing in the back of the dog house causing jagged edges. Also, Pen AA in room 3's left side corner has vinyl wire patch exposing sharp points and is sagging inward. The above mentioned item(s), housing 3 animals, are in need of repair, so the animals do not get injured and kept the sharp points and jagged edges removed.

3.4 (c) REPEAT OUTDOOR HOUSING FACILITIES.

Sec. 3.4 Outdoor housing facilities. (c) Construction. Building surfaces in contact with animals in outdoor housing facilities must be impervious to moisture. Metal barrels, cars, refrigerators or freezers, and the like must not be used as shelter structures. The floors of outdoor housing facilities may be of compacted earth, absorbent bedding, sand, gravel, or grass, and must be replaced if there are any prevalent odors, diseases, insects, pests, or vermin.

*Metal barrels and the like must not be used as an outdoor dog house. Also, the surfaces of outdoor dog houses must be made, so they can be readily cleaned and sanitized. The 9 dogs in the 5 large metal outdoor dog house on the ground are in need of a dog house that is not made of metal and or needs to be insulated, so to protect from the extreme temperatures. The outdoor dog houses have metal sides. Also, the gaps between the floor and the wall must be sealed, so the dog house can properly be cleaned and sanitized.

3.6 (a) (1) PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures. Primary enclosures for dogs and cats must meet the following minimum requirements: (a) General requirements. (1) Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair.

*Primary enclosures must be designed and constructed of suitable materials and kept in good repair, so the surface can be properly cleaned and sanitized. Pen AA in room 3, housing 3 animals, has fiber board coming off the bottom back wall exposing bare wood. The surface cannot be properly cleaned and sanitized. The surface in of repair, so the surface can be kept in good repair.

To be corrected by, 25-May-2009.

Prepared By:

RANDALL R WAGNER, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4038

Date:
Apr-20-2009

Received By:

(b)(6),(b)(7)(c)

Date:
Apr-20-2009

Title: